

CMTI INTERNAL TELEPHONE NUMBERS as on 19th January 2022



<u>DIRECTOR</u>		<u>C-ASMP – ADDITIVE MFG.</u>	LAKSHMI V 313	<u>C-PP & BD</u>	SHUSHMA D S 361	MANJUNATHA D B 269
Dr. NAGAHANUMAI AH 263		MANJUNATH B N 356	MUNIMAHADEVA.M 284		UMESHA G M 361	RAGHU R 269
		VINOD A R 324	RAJBHAVAN 206	<u>C-PP & BD – CENTRE HEAD</u>	VITHUN S N 390	SAGAR K 238
<u>DIRECTOR'S OFFICE</u>			SAVITHRAMMA B S 220	KRISHNA RATHOD 380		SANTOSH N S 238
LAKSHMI DEVI B R 227		<u>SECURITY</u>			<u>C-SMPM – NV LAB</u>	SANTHOSHA B R 238
		JAYAGANESH 267		<u>BD(TM, VAC, IPR & Legal Cell)</u>	MUKUNDA M 246	SATISH KUMAR S 238
		SEKAR.P 373		SHARMILA M R 341		SHIVA KUMAR M 238
		SHIVARAJA.H.K 373		OFFICE 302/348	AC ROOM 391	THIMMARAJU 238
		VENKATESH M 373		BHASKARAGOUD G 302	CONFERENCE ROOM 369	VENKATESHA G 238
		VIJAYA KUMAR M 373		REHANA SULTAN 348	DUAL BEAM LAB 388	VIGNESH KEMMINJE 201
<u>JOINT DIRECTOR (BRM)</u>				<u>PPM</u>		COMPUTER ROOM 205
MOHANRAJ.B.R 230		<u>C-MNTM</u>		PPM OFFICE 233	<u>C-SPM</u>	EDM ROOM 257
				GIRISH T 242		JIG BORING ROOM 382
<u>JOINT DIRECTOR (BRM) OFFICE</u>		<u>C-MNTM – GROUP HEAD</u>		KUSUMA A 233		LASER LAB 245
PA TO JD(BRM) 276				GEM TENDER 351		STUDER MACHINE ROOM 375
		NIRANJAN REDDY.K 379				TOOLCRIB 256
<u>C-AEAMT</u>		C-MNTM OFFICE 371		<u>SINGLE WINDOW SERVICES</u>		<u>M&M – GROUP HEAD</u>
				OFFICE 300		
<u>C-AEAMT – CENTRE HEAD</u>		<u>C-MNTM – LASER GROUP</u>		KUMAR C J 288		KAVITHAA S 293
PADMANABHA SARMA.V.A 5115						<u>M&M</u>
C-AEAMT OFFICE 5109		CHETHAN H S 381		<u>PURCHASE & STORES-GH</u>		ASHISH VARADE 201
		RAMA MOHAN P 381/392		ASHA.R.UPADHYAYA 247		CHAMPURI S RAO 303
<u>C-AEAMT</u>		SHIVARAJU C T 381				KRISHNA MOHAN B 289
MANJUNATH K N 5109		<u>C-MNTM – PM LAB</u>		<u>PURCHASE & STORES</u>		SATISH PATTAR 303
VINAY KUMAR P V 5112				BHAVYA S 316		YESAIAH.D 289
		MANJUNATHA K 258		KRISHNASWAMY K R 316		CHEMICAL LAB 287
<u>C-AEAMT / IT</u>		PRAMOD D S 258		SIDDARAJU H B 307		METALLURGY 303
RAMESH RAJ C N 357		SIDDARAJU K G 258/378				
SHIVARAJ A 332		<u>C-MNTM – PML LAB</u>		<u>C-SMPM</u>		<u>C-SVTC</u>
				<u>C-SMPM – CENTRE HEAD</u>		
SERVER ROOM 357		ANKIT K 361		PRAKASH VINOD 243		<u>C-SVTC– CENTRE HEAD</u>
		CHIDANANDA H N 383		C-SMPM OFFICE 361		
<u>C-AEAMT / LIBRARY</u>		HARI KRISHNA H V 389				NARASHIMMALU.S 376
MALA R C 5128		JAGADISH M L 381		RAJASHEKAR.M.N 240		PAT OFFICE 304
MITHRAVATHI J 5128		JYAUULA KHAN 383		STALIN KUMAR.S 240		
RAGHU B 5128		KARTHIK M S 264		STORES 240		<u>PAT</u>
		KHUSBOO 264				BHOOTHESH S E 270
LIBRARY 5128		KIRAN KUMAR M D 389		<u>C-SMPM</u>		BHUTHESH G N 270
		RAJU V R 264		<u>C-SMPM – CENTRE HEAD</u>		GURUPRASADA 248
		RANGASWAMY B L 389				JAGADEESHA H 248
<u>C-ASMP</u>		ROOPESH M S 383		ARAVINDA L S 390		KUMAR SWAMI B 253
		RUDRAMURTHY M M 389		BASAVARAJU UPPARA 390		MAANASAN.M 305
<u>C-ASMP – CENTRE HEAD</u>		SADASHIVA D 389		GIRISH KUMAR M 390		MAHESH H B 248
SHASHI KUMAR VERMA 325		SHARATH 383		GOPI KRISHNA S 390		MAHESHA S 216
C-ASMP OFFICE 363		SHASHI KUMAR 392		HARIKRISHNA S T 390		MEGHA AGARWAL 216
		SUNIL MAGADUM 361		ISHAN ANAND SINGH 390		PRADYUUMNA J 216
		SYED SADATH 383		KUMAR ABHINAV 390		PRAKASH DEVADIGA 328
				LAVANYA R 390		SHRUTHI G 216
<u>C-ASMP</u>		METROLOGY LAB 258/378		MANJUNATHA M A 390		VINODH VENKATESH GUMASTE 216
		PML LAB 389		MEHBOOB BASHA 5116		
ANIL KUMAR K 266		PE WORKSHOP 383		MURUGAN A 390		VISION SYSTEM LAB 211
ANITHA DEVI S 215				NARASIMHARAJU K V 5116		CONTROL SYSTEM LAB 326
BISHNU PRASAD SAHU 266		<u>C-PAFE</u>		NARENDRA REDDY T 390		ROBOTIC LAB 219
DATTATREYA 215				NAVEEN K 390		
DEEPAK SINGH D 318		<u>ADMINISTRATION -GH</u>		PHANIRAJ H S 361		<u>RESIDENTIAL / GENERAL</u>
GIRISHA C V 239				SARMISTA DHAN 390		
MANJU M 352		VENKATACHALAM G 225		SHISHUMA D S 361		VENKATACHALAM G 339
PRAKASH V S 318		CAO OFFICE 226		SOMASHEKARA K S 361		
SUDHA.L 215						AMTTF 322
TARANATH P 239		<u>ADMINISTRATION</u>				BOARD ROOM 222
TOM THAMPY 215						CANTEEN 268
VIJET BHANDIWAD 215		AMRITHA B S 226				CANTEEN 1 ST FLOOR 374
SANDEEPA K R 215		JAGADEESHA M 327				CMTI ECCS 273
		KRISHNA.S.M 204				GUEST HOUSE 209